ALUMINIUM 2024T3 ANGLE, TUBE, SOLID BAR & SHEET

E-Mail: sales@asapspares.com.au

ALUMINIUM ANGLE 90 DEGREE (2024T3)

Extruded Aluminium angle produced by forcing a heated Aluminium billet through a die of the proper shape by means of a hydraulic press. Please note this angle has a fillet radius.

Priced & sold per foot.

Description	Our Part Number	Size	Thickness
	2024T3-46800	1/2" x 1/2"	1/16"
	2024T3-46900	5/8" x 5/8"	
	2024T3-47000	3/4" x 3/4"	
	2024T3-47100	7/8" x 7/8"	1/8"
	2024T3-47200	1" x 1"	1/16"
	2024T3-47300		1/8"
	2024T3-47400	1" x 1-1/2"	
	2024T3-47500	1-1/2" x 1-1/2"	1/16"
	2024T3-47600		1/8"
	2024T3-47625	2" x 2"	
	2024T3-47675	3-1/2" x 3-1/2"	1/4"

ALUMINIUM SHEET (2024T3)

This is one of the best known of the high strength aluminium alloys. With its high strength and excellent fatigue resistance, it is used to advantage on structures and parts where good strength-to-weight ratio is desired. It is readily machined to a high finish. It is readily formed in the annealed condition and may be subsequently heat treated. Arc or gas welding is generally not recommended, although this alloy may be spot, seam or flash welded. Since corrosion resistance is relatively low, 2024 is supplied in clad form ("Alclad") with a thin surface layer of high purity aluminium. Applications: aircraft structural components, aircraft fittings, hardware.

Priced & sold per SQUARE foot.

Description	Our Part Number	Thickness
	2024T3-016	0.016"
	2024T3-020	0.020"
	2024T3-025	0.025"
	2024T3-032	0.032"
	2024T3-040	0.040"
	2024T3-050	0.050"
	2024T3-063	0.063"
	2024T3-080	0.080"
	2024T3-100	0.100"
	2024T3-125	0.125"

All measurements are Imperial.

2024T3 ROUND DRAWN TUBE

Tubing Seamless Drawn. **Priced & sold per foot.**

Our Part Number	O.D.	I.D.	Wall
2024T3-31600	1/4	0.180	.035
2024T3-31700	5/16	0.243	.035
2024T3-31800	5/16	0.215	.049
2024T3-32000	3/8	0.305	.035
2024T3-32100	3/8	0.277	.049
2024T3-32200	3/8	0.245	.065
2024T3-32500	1/2	0.430	.035
2024T3-32600	1/2	0.402	.049
2024T3-32700	1/2	0.384	.058
2024T3-32800	1/2	0.370	.065
2024T3-32900	5/8	0.555	.035
2024T3-33000	5/8	0.527	.049
2024T3-33100	5/8	0.509	.058
2024T3-33200	5/8	0.495	.065
2024T3-33300	3/4	0.680	.035
2024T3-33400	3/4	0.652	.049
2024T3-33600	3/4	0.620	.065
2024T3-33650	7/8	0.805	.035
2024T3-33700	7/8	0.777	.049
2024T3-33800	7/8	0.759	.058
2024T3-33900	7/8	0.745	.065
2024T3-34000	7/8	0.635	.120
2024T3-34100	1	0.930	.035
2024T3-34200	1	0.902	.049
2024T3-34250	1	0.884	.058
2024T3-34400	1	0.870	.065
2024T3-34500	1	0.834	.083
2024T3-34600	1-1/4	1.180	.035
2024T3-34700	1-1/4	1.152	.049
2024T3-00045	1-1/4	1.120	.065
2024T3-34800	1-3/8	1.277	.049
2024T3-34900	1-1/2	1.402	.049
2024T3-35000	1-1/2	1.370	.065
2024T3-35075	1-3/4	1.250	.250
2024T3-35200	2	1.870	.065

All measurements are Imperial.

2024T3 ROUND SOLID BAR **Priced & sold per foot.**



Our Part Number	O.D.
2024T3-41400	3/16
2024T3-41500	1/4
2024T3-41600	5/16
2024T3-41700	3/8
2024T3-41750	7/16
2024T3-41800	1/2
2024T3-41900	5/8
2024T3-42000	3/4
2024T3-42100	7/8
2024T3-42200	1″
2024T3-42250	1-1/8
2024T3-42300	1-1/2
2024T3-42375	1-3/4
2024T3-43750	2-3/4
2024T3-44000	3″

All measurements are Imperial.