

FILAMENT LAMPS-GLOBES DESCRIPTION & IDENTIFICATION

E-Mail: sales@asapspares.com.au

REPLACEMENT BULBS (LAMPS/GLOBES) *Carried on shelf

Image	Our Part Number	Description	Stocked
	WL17312-1	24V Beacon	
	WL17312-3	12V Beacon	
	WL1512	12V Navigation	*
	WL1524	24V Navigation	*
	WL327	24V Post AN 3240-327 MS25237-327	*
	WL330	12V Post MS25237-330	*
	WL7079B-12	12V Navigation	*

FILAMENT LAMPS-GLOBES DESCRIPTION & IDENTIFICATION

E-Mail: sales@asapspares.com.au

Image	Our Part Number	Description	Stocked
	WL7079B-24	24V Navigation MS25338-7079	*
	WL7512-12	12V Navigation MS25309-7512	*
	WL7512-24	24V Navigation	*

*Carried on shelf

A7512-12 / A7512-25 & 1512 / 1524 WING POSITION LIGHT LAMPS

Alternate part numbers: W1290-14 or W1290-28

Common reflector style wing position bulb with flat reflective backing. Used in Model E wing position lights. 26watt. Real old aircraft use a similar looking but slightly smaller bulb, part number WL1512 or WL1524. (21 watt)

WL1512 / WL1524 bulb width: 1.34 inch
 WL7512-12 / WL7512-24 bulb width: 1.60 inch
 WL7512-12 and WL7712-24 meet the candlepower distribution requirements of MS25309.

There is a small gasket (W1283) under the 1/2 round green or red lens that you might also want to replace. Be careful the first time you replace this bulb.

Whelen also uses the W1290-28 (34.0428020-65) bulb in the Citation wingtip assembly 90159-()

FILAMENT LAMPS-GLOBES DESCRIPTION & IDENTIFICATION

E-Mail: sales@asapspares.com.au

OBSOLETE LAMPS BECAUSE OF AVAILABILITY

The larger bulb with the double contacts is an old 613-part number bulb. These were originally used in Grimes lights and are extremely rare. You may have to replace the socket with a more modern one that takes the A7512-12 or A7512-24 bulb.

Notice that there are generally two categories of these obsolete wing tip bulbs: 1.6" diameter and 1.34" diameter.

1.6" diameter bulbs

Lamp Number	Number of Contacts	Voltage	Watts	Rated Life	Stocked
610	Double	14.0	40	300	
613	Double	28.0	40	300	
626	Single	6.2	40	300	
A-4174-12	Single	14.0	40	300	
A-4174-24	Single	28.0	40	300	
WL11631	Single	6.2	40	300	*

1.34" diameter bulbs

Lamp Number	Number of Contacts	Voltage	Watts	Rated Life	Stocked
600	Single	6.2	26	300	
611	Double	14.0	26	300	
612	Double	6.2	26	300	
628	Single	26.5	26	300	
1506	Single	14.0	21	300	
WL1512	Single	14.0	21	300	*
WL1524	Single	28.0	21	300	*
17506	Single	6.2	26	300	

***Carried on shelf**