


# SHEET METAL SCREWS STEEL & STAINLESS STEEL

E-Mail: [sales@asapspares.com.au](mailto:sales@asapspares.com.au).

## SCREWS

Used on some aircraft models to attach fabric to metal wing ribs and empennage ribs instead of rib lacing. Truss-head, type "A" self-tapping sheet metal screws. Size #4 x 1/4".

	Our Part Number	Description	Stocked
	T04X04	4X1/4-A-TR-PH-SS SHT METAL SCREW	*
	T04X06	4X3/8-A-TR-PH-SS SHT METALSCREW	*
	T04X08	4X1/2-A-TR-PH-SS SHT METAL SCREW	*

## TRUSS HEAD TYPE A STAINLESS



Our Part Number	Size	Length	Stocked
T4X04-S	4	1/4	*
T4X06-S	4	3/8	*
T4X08-S	4	1/2	*
T6X04-S	6	1/4	
T6X06-S	6	3/8	*
T6X08-S	6	1/2	*
T6X10-S	6	5/8	*
T6X12-S	6	3/4	*
T6X16-S	6	1	*
T8X06-S	8	3/8	*
T8X08-S	8	1/2	*
T8X10-S	8	5/8	*
T8X12-S	8	3/4	*
T8X16-S	8	1	*
T8X20-S	8	1-1/4	
T10X06-S	10	3/8	*
T10X08-S	10	1/2	*
T10X10-S	10	5/8	*
T10X12-S	10	3/4	*
T10X16-S	10	1	*
T10X20-S	10	1-1/4	*

All measurements are Imperial.

**\*Carried on shelf**

# SHEET METAL SCREWS STEEL & STAINLESS STEEL

E-Mail: [sales@asapspares.com.au](mailto:sales@asapspares.com.au).




## 82° OVAL HEAD TYPE A SHEET METAL SCREW

Our Part Number	Size	Length	Stocked
OV4X06	4	3/8	
OV4X08	4	1/2	*
OV4X10	4	5/8	
OV6X06	6	3/8	
OV6X08	6	1/2	*
OV6X12	6	3/4	
OV8X06	8	3/8	
OV8X08	8	1/2	*
OV8X10	8	5/8	
OV8X12	8	3/4	
OV8X16	8	1	
OV10X08	10	1/2	
OV10X12	10	3/4	
<b>STEEL ONLY</b>			

All measurements are Imperial.

\*Carried on shelf

## MS21207 COUNTERSUNK SELF-TAPPING SCREW



MS21207 (S-1022Z) self-tapping flat-head sheet metal screws have 100° head for use with Tinnerman 100° counter-sunk washers. The Type B threads mate with Tinnerman speed nuts. With Phillips-type cross-recessed head.

STEEL if ADD "C" after MS21207, the the sizes required

Our Part Number	Screw Size	Dia.	Length	Stocked
MS21207-4-4	4	.115	1/4	*
MS21207-4-6	4	.115	3/8	*
MS21207-4-8	4	.115	1/2	*
MS21207-4-12	4	.115	3/4	*
MS21207-6-6	6	.137	3/8	*
MS21207-6-8	6	.137	1/2	*
MS21207-6-10	6	.137	5/8	*
MS21207-6-12	6	.137	3/4	*
MS21207-8-8	8	.163	1/2	*

# SHEET METAL SCREWS STEEL & STAINLESS STEEL

E-Mail: [sales@asapspares.com.au](mailto:sales@asapspares.com.au).

<b>Our Part Number</b>	<b>Screw Size</b>	<b>Dia.</b>	<b>Length</b>	<b>Stocked</b>
MS21207-8-10	8	.163	5/8	*
MS21207-8-12	8	.163	3/4	*
MS21207-8-16	8	.163	1	*
MS21207-10-8	10	.186	1/2	*
MS21207-10-12	10	.186	3/4	*

All measurements are Imperial.

**\*Carried on shelf**