

TEMPEST
excellence



Introducing the new

Aviation Spark Plug

With the most automated manufacturing processes and the most innovative spark plug in the aviation industry.

High Conductivity Copper Core Center Electrode

copper, co-extruded inside a nickel alloy sleeve ensures outstanding heat and electrical conductivity while the nickel sleeve offers high resistance to corrosive combustion gases.

High Alumina Ceramic Insulator


high mechanical strength, superior dielectric properties, proprietary protective glaze, provides high performance to conquer severe operational conditions. "Clean Collar™" massive electrode "V" tip focuses heat to reduce fouling and enhance heat range control.

Proprietary Glass Center Seal

21st century 'fired in' resistor replaces the multipart screw, spring, carbon pile stack up used in competitive plugs and known to suffer from resistance value instability that can cause misfires, wasted fuel, engine roughness.

Nickel Finish

environmentally preferable electrolytic nickel provides outstanding durable finish, superior corrosion protection, and extreme wear resistance.



Nickel Ground Electrodes

aviation grade nickel electrode design focuses on minimizing sparking voltage requirements while maintaining specification gaps to ensure large, stable 'flame kernels' for on-time ignition and complete combustion.

Vacuum Infused Center Electrode

proprietary, vacuum infusion process seals electrode/insulator gap providing stable heat range and superior center electrode cooling (heat flow to the insulator).

Hot-Lock Assembly

intense pressure and heat create positive, zero-leakage, shrunk in seal between insulator and shell to contain the hot, high pressure combustion cycle gases.

Harness Wire Contact

smooth, uninterrupted, oxide treated spring contact surface offers enhanced corrosion resistance, is chemically bonded to the fired-in resistor providing the ultimate harness/spark plug termination integrity and energy transfer.

**ASAP Aircraft Spares
Caboolture Air Field Queensland**